

Balloon Inflation Device



- *Max Pressure: 30bar/40bar
- *Max Volume: 20ml
- *Accurate Pressure Control
- *Stable Performance
- *Simple Operation
- *Latex Free



Model: BID-20

Part No.	Volume	Contents
AT1100	20ml 30bar	Balloon Inflation Device
AT1101	20ml 30bar	Balloon Inflation Device +Stopcock (Right"ON")
AT1102	20ml 30bar	Balloon Inflation Device +Stopcock (Right"OFF")
AT1103	20ml 30bar	AT1101 +Y connector kit (Screw Y connector, Torque, Insertion tool)
AT1104	20ml 30bar	AT1102 +Y connector kit (Screw Y connector, Torque, Insertion tool)
AT1105	20ml 30bar	AT1101 +Y connector kit (Push/pull Y connector, Torque, Insertion tool)
AT1106	20ml 30bar	AT1102 +Y connector kit (Push/pull Y connector, Torque, Insertion tool)
AT1107	20ml 30bar	AT1101 +Y connector kit (Push/pull Y connector with line, Torque, Insertion tool)
AT1108	20ml 30bar	AT1102 +Y connector kit (Push/pull Y connector with line, Torque, Insertion tool)



Hemostasis Valve Set

- * Y Connector Valve
- * Torque Device
- * Guide Wire Insertion Tool

PUSH/PULL CLICK Y CONNECTOR



PUSH/PULL Y CONNECTOR



ROTATING Y CONNECTOR



Y CONNECTOR WITH LINE AND STOPCOCK



HEMOSTASIS VAVLE SET

Product No.	Description
AT1301	8Fr Screw Y connector + Torque device +Insertion Tool
AT1311	8Fr Screw Y connector with line (25cm)and stopcock + Torque device +Insertion Tool
AT1312	8Fr Screw Y connector with line (50cm)and stopcock + Torque device +Insertion Tool
AT1302	7Fr Push/pull Y connector + Torque device +Insertion Tool
AT1303	7Fr Push/pull Y connector with line (25cm)and stopcock + Torque device +Insertion Tool
AT1304	7Fr Push/pull Y connector with line (50cm) and stopcock + Torque device +Insertion Tool
AT 1305	8Fr Push/pull click Y connector +Torque device + insertion Tool
AT 1306	8Fr Push/pull click Y connector with line (25cm)and stopcock +Torque device + insertion Tool



Femoral Introducer Sheath Set



- *Smooth Transitions from dilator to sheath, Greatly reduces puncture resistance
- *Radiopaque Sheath and dilator
- *Providing easy and non-traumatic insertion
- *Hydrophilic coating sheath tubing

Femoral Introducer Set:

- *Introducer sheath
- *Dilator
- *Guidewire with advancer
- *Introducer needle
- *Syringe
- *Scalpel



Product No.	Dimeter	Length	Guide wire
AT1201	4F	9cm	0.021" x 45cm
AT1202	5F	11cm	0.035" x 45cm
AT1203	6F	11cm	0.038" x 45cm
AT1204	7F	11cm	0.038" x 45cm
AT1205	8F	11cm	0.038" x 45cm
AT1206	10F	11cm	0.038" x 45cm
AT1207	6F	23cm	0.038" x 80cm
AT1208	7F	23cm	0.038" x 80cm
AT1209	8F	23cm	0.038" x 80cm
AT1210	6F	45cm	0.038" x 120cm
AT1211	7F	45cm	0.038" x 120cm
AT1212	8F	45cm	0.038" x 120cm
AT1215	9F	11cm	0.038" x 45cm




Transradial Introducer kit

- *Used for coronary interention to reduce vascular access complications
- *Uniquely designed sheath for the smooth atraumatic insertion and removal
- *Complete kit include everything for the applicable procedure
- *Hydrophilic coating sheath tubing

Transradial Introducer Set:

- *Transradial Introducer sheath
- *Dilator
- *Guidewire with advancer
- *Introducer needle
- *Syringe
- *Scalpel



Product No.	Dimeter	Length	Guide wire
AT1601	4F	9cm	0.018" x 45cm
AT1602	5F	11cm	0.021" x 45cm
AT1603	6F	11cm	0.021" x 45cm
AT1604	7F	11cm	0.021" x 45cm
AT1605	6F	23cm	0.021" x 70cm
AT1606	7F	23cm	0.021" x 70cm
AT1607	6F	7cm	0.021" x 45cm
AT1608	6F	9cm	0.021" x 45cm
AT1611	5F	9cm	0.021" x 45cm
AT1612	5F	7cm	0.021" x 45cm



Manifold and 3 Way Stopcock

- *Max Pressure: 250PSI, 500PSI
- *Rotating Adapter
- *Simple Operation
- *Latex Free


3 PORT RIGHT ON/OFF 250PSI/500PSI



3 PORT Manifold set



2 PORT RIGHT ON/OFF 250PSI/500PSI



3 WAY STOPCOCK 500PSI/700PSI RIGHT ON/OFF



Product No.	Description
AT1401	3 Port "ON" Right-handed 250PSI
AT1402	3 Port "OFF" Right-handed 250PSI
AT1403	3 Port "ON" Right-handed 500PSI
AT1404	3 Port "OFF" Right-handed 500PSI
AT1405	3 Port Manifold Set "ON" Right-handed
AT1406	3 Port Manifold Set "OFF" Right-handed
AT1407	2 Port "ON" Right-handed 500PSI
AT1408	2 Port "OFF" Right-handed 500PS
AT1701	3 way stopcock 500PSI "ON" Right-handed
AT1702	3 way stopcock 500PSI "OFF" Right-handed




TR Closure Band



REF	SIZE
AT2401	S 24cm
AT2402	M 27cm
AT2403	L 29cm


Angiographic Needle




REF	SIZE
AT2307	18Ga x 7cm
AT2308	19Ga x 7cm
AT2309	20Ga x 7cm
AT2310	20Ga x 4cm



Angiographic Guide Wire (PTFE Coated)



- *Fixed core and movable core
- *Tip Type: J tip and Straight tip
- *J Radius: 1.5mm--15mm
- *Length Range: 60cm--300cm
- *OD Range: 0.025"--0.050"



REF	Description	Tip
AT1801	0.032" 150cm Fixed core	J
AT1802	0.032" 180cm Fixed core	J
AT1803	0.032" 260cm Fixed core	J
AT1804	0.035" 150cm Fixed core	J
AT1805	0.035" 180cm Fixed core	J
AT1806	0.035" 260cm Fixed core	J
AT1807	0.038" 150cm Fixed core	J
AT1808	0.038" 180cm Fixed core	J
AT1809	0.038" 260cm Fixed core	J
AT1843	0.035" 80cm Fixed core	J1.5X15mm
AT1845	0.035" 80cm Fixed core	J6.0X15mm
AT1832	0.035" 300cm Fixed core	J

REF	Description	Tip
AT1811	0.032" 150cm Fixed core	Straight tip
AT1812	0.032" 180cm Fixed core	Straight tip
AT1813	0.032" 260cm Fixed core	Straight tip
AT1814	0.035" 150cm Fixed core	Straight tip
AT1815	0.035" 180cm Fixed core	Straight tip
AT1816	0.035" 260cm Fixed core	Straight tip
AT1817	0.038" 150cm Fixed core	Straight tip
AT1818	0.038" 180cm Fixed core	Straight tip
AT1819	0.038" 260cm Fixed core	Straight tip
AT1844	0.035" 80cm Fixed core	J3.0X15mm
AT1840	0.035" 300cm Fixed core	Straight tip



GUIDE WIRE


Hydrophilic Guide Wire

- * Hydrophilic coated
- * Elastic alloy core, Super flexible tip
- * Tip Type: Angle tip and Straight tip
- * Black and blue color
- * Length Range: 150cm--300cm



Zebra Guide Wire

- * Kink-resistant nitinol core
- * Tip Type: 3cm Angled tip and Straight tip
- * **Blue/white striped ,**
Black/white striped,
Yellow/Black striped
- * Length Range: 150cm--450cm
- * OD Range: 0.025"--0.038"




Product No.	Description
AT1901	0.032" 150cm Angled tip black
AT1902	0.035" 150cm Angled tip black
AT1903	0.032" 150cm Straight tip black
AT1904	0.035" 150cm Straight tip black
AT1905	0.032" 150cm Angled tip blue
AT1906	0.035" 150cm Angled tip blue
AT1907	0.032" 150cm Straight tip blue
AT1908	0.035" 150cm Straight tip blue
AT1924	0.038" 150cm Straight tip black
AT1914	0.038" 150cm Angle tip black

Product No.	Description
AT2001	0.032" 150cm Straight tip blue/white
AT2002	0.035" 150cm Angled tip blue/white
AT2003	0.032" 150cm Straight tip blue/white
AT2004	0.035" 150cm Straight tip blue/white
AT2005	0.032" 150cm Angled tip black/white
AT2006	0.035" 150cm Angled tip black/white
AT2007	0.032" 150cm Straight tip black/white
AT2008	0.035" 150cm Straight tip black/white



Diagnostic Angiographic Catheter

- *Smooth Transitions,greatly reduces puncture resistance
- *Radiopaque 1200PSI
- *Providing easy and non-traumatic insertion



Dimeter	Guide wire	
5F	JL3.5, JL4.0,JL5.0	0.038" x 150cm
6F	JL3.5, JL4.0,JL5.0	0.038" x 150cm
7F	Pigtail180,Pigtail 145	0.038" x 150cm

Angiographic syringe

- *Precise graduations printing and flow control
- *Triple ringe design handle for easy and saft operation


REF	Description
AT1409	12ml Rotating Male Luer Lock
AT1410	10ml Rotating Male Luer Lock
AT1411	12ml Female Luer Lock
AT1412	10ml Female Luer Lock



PTCA Balloon Catheter

Technical Parameters:

- * Usable PTCA Catheter Length: 140cm
- * Guide wire Compatible: 0.014inches
- * Marker: 2
- * Guiding Catheter: 5F
- * Nominal Pressure: 6atm
- * Rated Burst Pressure: 16atm
- * Mean Burst Pressure: 21atm- 24atm
- * Crossing Profile: 0.021-0.032inches




Balloon Diameter(mm)	Balloon Length (mm)					
	10	12	15	20	25	30
2.0	AT2501	AT2502	AT2503	AT2504	AT2505	AT2606
2.5	AT2511	AT2512	AT2513	AT2514	AT2515	AT2616
2.75	AT2521	AT2522	AT2523	AT2524	AT2525	AT2626
3.0	AT2531	AT2532	AT2533	AT2534	AT2535	AT2636
3.5	AT2541	AT2542	AT2543	AT2544	AT2545	AT2546
4.0	AT2551	AT2552	AT2553	AT2554	AT2555	AT2656



Angiographic Syringe



COILED
Y-CONNECTING TUBE



QUICK FILL TUBE



SPIKE



COILED
CONNECTING TUBING

CE 0197 FCS
EN ISO: 13485: 2016/AC: 2012

Product No.	Model	Description
AT2201	CT-200-M	Used for CT: MEDRAD MCT&PLUS:OP-100; VCT610; ECT710
AT2202	CT-200-M2	Used for CT: MEDRAD STELLANT
AT2203	CT-200/200-M2	Used for CT: MEDRAD STELLANT D
AT2204	CT-200-L	Used for CT: LIBEL-FLARSHEIM CT9000&CT9000 ADV
AT2205	DSA-150-L	Used for DSA: LIBEL-FLARSHEIM ANGIOMAT 6000
AT2206	DSA-150-M	Used for DSA: MEDRAD MARK V MARK V PROVIS
AT2207	DSA-200-M	Used for DSA: MEDRAD MARK V MARK V PROVIS
AT2208	MRI-65/65-M	Used for MRI: MEDRAD SPECTRIS MR
AT2209	CT/DSA-150-L	Used for CT&DSA: LIBEL-FLARSHEIM CT&DSA:ANGIOMAT IIIUMENA
AT2210	MRI-60/200-MED	Used for MRI: MEDTRON MRI
AT2211	CT-200-MED	Used for CT: MEDTRON ACCUTRON CT
AT2212	CT-200-E	Used for CT: EZEM EMPOWER CT
AT2213	CT-100-N	Used for CT: NEMOTO KYORINDO A-25;A-60
AT2214	CT-200-N	Used for CT: NEMOTO KYORINDO A-25;A-60
AT2215	DSA-120-N	Used for DSA: NEMOTO KYORINDO NEMOTO 120S
AT2216	MRI-65/115-M	Used for MRI: MEDRAD SPECTRIS
AT2217	CT-200/200-M	Used for CT: MEDRAD MCT&PLUS:OP-100;VCT610;ECT710



Angiographic Syringe



AT2203



AT2201



AT2204



AT2211



AT2213

AT2214



AT2205



AT2209



AT2206



AT2208



AT2226



AT2219




AT2216

Product No.	Model	Description
AT2218	CT-200/200-L	Used for CT: LIBEL-FLARSHEIM OPTIVANTAGE DUAL-HEAD
AT2219	MRI-60/60-L	Used for MRI: LIBEL-FLARSHEIM OPTISTAR
AT2220	CT-100/100-N	Used for CT: NEMOTO KYORINDO A-25;A-60
AT2221	CT-100/200-N	Used for CT: NEMOTO KYORINDO A-25;A-60
AT2222	CT-200/200-MED	Used for CT: MEDTRON ACCUTRON CT-D
AT2223	CT-200/200-E	Used for CT: EZEM EMPOWER D
AT2224	CT-190/190-M	Used for CT: MEDRAD SALIENT
AT2225	CT-190-M	Used for CT: MEDRAD SALIENT
AT2226	MRI-60/60-MED	Used for MRI: MEDTRON MRI
AT2227	DSA-150-M2	Used for DSA: MEDRAD MARK 7 ARTERION
AT2228	CT-200/200-N	Used for CT: NEMOTO KYORINDO A-25;A-60



The Micro Guide Wire (PTCA Guide Wire)

*Nitinol Core, Stainless Steel with PTFE Coated
*Platinum Coil/Gilding Coil/Stainless steel Coil



Product No.	Size	Shaft Material	Tip Form		Tip Coil
AT2301	0.014" x 185cm	Nitinol	Angle	Floppy	Platinum
AT2302	0.014" x 185cm	Nitinol	Straight	Floppy	Platinum
AT2303	0.014" x 185cm	Nitinol	Angle	Standard	Platinum
AT2304	0.014" x 185cm	Nitinol	Straight	Standard	Platinum
AT2305	0.014" x 185cm	Nitinol	Angle	Support	Platinum
AT2306	0.014" x 185cm	Nitinol	Straight	Support	Platinum
AT2311	0.018" x 185cm	Nitinol	Angle	Floppy	Platinum
AT2312	0.018" x 185cm	Nitinol	Straight	Floppy	Platinum
AT2313	0.018" x 185cm	Nitinol	Angle	Standard	Platinum
AT2314	0.018" x 185cm	Nitinol	Straight	Standard	Platinum
AT2315	0.018" x 185cm	Nitinol	Angle	Support	Platinum
AT2316	0.018" x 185cm	Nitinol	Straight	Support	Platinum
AT2317	0.014" x 300cm	Nitinol	Straight	Extra Support	Platinum
AT2318	0.018" x 300cm	Nitinol	Straight	Extra Support	Platinum

